Sanaviva®
Science For Health

CBD

Relief Of Anxiety & Chronic Pain

Dark brown Soft gelatin capsules

Standardized Extract By Cannabidiol

10 mg of Hemp oil extract from the Cannabis sativa plant (contains at least %50 CBD)

1 Sanaviva CBD and Its usage

CBD, or Cannabidiol, is a natural compound found in the Hemp plant. Unlike THC, another well-known cannabinoid, CBD does not produce a "high" or psychoactive effect and is generally considered safe and non-addictive.
CBD interacts with the body's endocannabinoid system (ECS), which regulate many physiological processes, including pain, inflammation, mood, appetite, and sleep. It also affects other receptors in the body, such as serotonin and dopamine, which are involved in emotional states and anxiety.

Health benefits of Sanaviva CBD:

Pain relief: CBD reduce pain by interacting with the body's endocannabinoid system, which plays a role in pain signaling.
Anxiety and depression: CBD reduce symptoms of anxiety and depression by interacting with serotonin receptors in the brain.
Improves sleep quality: CBD may improve both the quality and quantity of sleep by ensuring the body progresses through the normal stages of sleep.

2 What you need to know before you take Sanaviva CBD?

Do not take Sanaviva CBD:
If you have an allergy to any of the components of CBD.
Take Sanaviva CBD with caution in the following cases:

- *If you have liver problems.*
- *If you are taking blood pressure lowering drugs (because it may cause an excessive decrease in blood pressure).*
- *If you use blood thinners or if you will undergo surgery in the next two weeks.*

Taking Sanaviva CBD with other drugs:
Antiepileptic or anticonvulsant medication: The concomitant use of Sanaviva CBD and these medications (such as brivaracetam, eslicarbazepine, rufinamide, zonisamide, valproate, topiramate and stiripentol) could increase antiepileptic drug plasma levels and elevate liver transaminases. In addition, valproate may also result in low blood platelet count.
Central nervous system (CNS) depressants (zopiclone, diazepam, alprazolam, clobazam etc.) as it may increase the risk of sedation and drowsiness.
Immunosuppressants (such as tacrolimus and sirolimus) as concomitant use may result in elevated immunosuppressant plasma levels and consequently additive side effects.
Kinase inhibitor, everolimus, as co-administration may cause additive adverse effects.
Antiretroviral medication, antibiotics like erythromycin and clarithromycin, antidepressants like fluvoxamine, citalopram, fluoxetine and proton pump inhibitors (PPI's) like omeprazole, since these might increase CBD plasma concentrations leading to a greater risk of side effects.
Phenobarbital, phenytoin, carbamazepine, prednisone, and rifampicin will decrease CBD plasma concentrations, which may lower the efficacy of Sanaviva CBD.

3 How to take Sanaviva CBD

Take 1-2 soft gelatin capsules daily with the full glass of water.
The daily dose may be changed according to your doctor or pharmacist's prescription.
Do not take CBD with alcohol as it may increase side effects such as dizziness, drowsiness, confusion and difficulty concentrating.

4 How to take Sanaviva CBD During Pregnancy and Breastfeeding

Avoid using this product during pregnancy or breastfeeding.

5 Possible side effects

CBD may cause mild side effects such as dry mouth, drowsiness, low blood pressure, changes in appetite, diarrhea, and changes in liver function. These side effects are usually temporary and may subside with continued use. However, if you experience severe or persistent side effects, you should stop taking CBD and speak with a healthcare provider.

6 Storage Condition

- *Keep this medicine out of the sight and reach of children.*
- *Store at temperatures below 25 ° C, away from light and moisture. Do not freeze.*
- *Do not use Sanaviva CBD after the expiry date which is stated on the carton and the label.*

7 Package contents and other information

Each soft gelatin capsule contains 10 mg of Hemp oil extract from the *Cannabis sativa* plant(contains at least %50 CBD).
Sanaviva CBD are available, as blister of 15 in a Box of 30's.

License Holder: Darousazan Sana Pharmed Co.
Manufactured in IRAN

C/2.FP.9008.01

SANA PHARMED

سی بی دی

ساناویوا®
علم برای سلامتی

بهبود اضطراب
و درد مزمن

کپسول ژلاتینی نرم قهوه‌ای تیره
استاندارد سازی عصاره براساس کانابیدیول
۱۰ میلی‌گرم عصاره روغنی گیاه شاهدانه
(محتوی حداقل ۵۰٪ سی‌بی‌دی)

۱ ساناویوا CBD چیست و برای چه مواردی استفاده می‌شود؟

CBD یا کانابیدیول یک ترکیب طبیعی از خانواده ی کانابینوئیدها بوده که از گیاه شاهدانه استخراج می شود. CBD برخلاف THC، که یکی دیگر از کانابینوئیدهای شناخته شده می باشد، اثرات روان‌گردان ایجاد نمی کند و به طور کلی ایمن و غیر اعتیادآور در نظر گرفته می‌شود.

CBD با اثر بر سیستم اندوکانابینوئید بدن (ECS)، بسیاری از فرآیندهای فیزیولوژیکی از جمله درد، التهاب، خلق و خو، اشتها و خواب را تنظیم می‌کند. CBD همچنین بر گیرنده‌های دیگر بدن مانند گیرنده‌های سروتونین و دوپامین که در تنظیم حالات روحی و اضطراب نقش دارند، تأثیر می‌گذارد.

فواید CBD برای سلامتی:

تسکین درد: CBD با تعامل با سیستم اندوکانابینوئید بدن، که در سیگنال دهی درد نقش دارد، درد را کاهش می‌دهد.

اضطراب و افسردگی: CBD با تعامل با گیرنده های سروتونین در مغز علائم اضطراب و افسردگی را کاهش می‌دهد.

بهبود کیفیت خواب: CBD با بهبود شرایط بدن در هنگام خواب، کیفیت و کمیت خواب را بهبود می‌بخشد.

۲ آنچه باید قبل از مصرف ساناویوا CBD بدانید:

ساناویوا CBD را در موارد زیر مصرف نکنید:

- در صورت آلرژی داشتن به هریک از اجزای سازنده‌ی سی بی دی

ساناویوا CBD را در موارد زیر با احتیاط مصرف کنید:

- در صورتی که دچار مشکلات کبدی هستید.
- در صورتی که داروهای کاهنده‌ی فشار خون مصرف می کنید (زیرا ممکن باعث کاهش بیش از حد فشار خون شود).
- در صورتی که از داروهای رقیق کننده‌ی خون استفاده می‌کنید و یا در دو هفته‌ی آینده تحت جراحی قرار خواهید گرفت.

مصرف ساناویوا CBD همراه سایر داروها:

داروهای ضد صرع یا ضد تشنج (مانند بربوارستام، اسلیکاربازپین، روفین آمید، زونیسامید، والپروات، توپیرامات و استرپنتول) می‌تواند باعث افزایش سطح خونی این دارو ها و هم چنین ترانس آمیناز کبدی شود. علاوه بر این، والپروات همچنین ممکن است منجر به کاهش تعداد پلاکت خون شود.

داروهای سرکوب کننده‌ی سیستم عصبی مرکزی (مانند زوپیکلون، دیازپام، آلپرازولام، کلوبازام و غیره) ممکن است خطر آرام بخشی و خواب آلودگی را افزایش دهد.

داروهای سرکوب کننده‌های سیستم ایمنی (مانند تاکرولیموس و سیرولیموس)، ممکن است منجر به افزایش سطح خونی این داروها و در نتیجه افزایش عوارض جانبی شود.

مهارکننده‌های کیناز (مانند اورولیموس) ممکن است عوارض جانبی اضافی ایجاد کند.

داروهای ضد رتروویروسی، آنتی بیوتیک‌هایی مانند ایریترومایسین و کلاریترومایسین، داروهای ضد افسردگی مانند فلووکسامین، فلوکستین، سیتالوپرام و مهارکننده‌های پمپ پروتون (PPI) مانند امپرازول، زیرا ممکن است با افزایش غلظت CBD پلاسما، منجر به افزایش عوارض جانبی شوند.

فنوباربیتال، فنی توئین، کاربامازپین، پردنیزولون وریفامپیسین غلظت پلاسمایی CBD را کاهش می‌دهند که ممکن است اثربخشی ساناویوا CBD را کاهش دهد.

۳ نحوه مصرف ساناویوا سی بی دی

روزانه یک تا دو عدد کپسول ژلاتینی نرم همراه یک لیوان آب مصرف شود.

مقدار مصرف روزانه ممکن است با توجه به دستور پزشک یا داروساز شما تغییرکند.

سافت ژل ساناویوا CBD را با الکل مصرف نکنید، زیرا ممکن است عوارض جانبی مانند سرگیجه، خواب آلودگی، گیجی و مشکل در تمرکز را افزایش دهد.

۴ مصرف در بارداری و شیردهی

از مصرف این فرآورده در دوران بارداری و شیردهی **خودداری** نمایید.

۵ عوارض جانبی احتمالی

CBD ممکن است عوارض جانبی خفیفی مانند خشکی دهان، خواب آلودگی، فشار خون پایین، تغییر در اشتها، بیرون روی و تغییرات در عملکرد کبد ایجاد کند. این عوارض معمولا موقتی هستند و ممکن است با ادامه استفاده از بین بروند. با این حال، اگر عوارض جانبی شدید یا مداوم را تجربه کردید، باید مصرف فرآورده را متوقف کنید و با پزشک یا داروساز خود مشورت نمایید.

۶ نحوه نگهداری

دور از دسترس کودکان نگهداری شود.

در دمای کمتر از ۲۵ درجه سانتیگراد، دور از نور و رطوبت نگهداری و از یخ زدگی محافظت شود.

از مصرف فرآورده تاریخ گذشته خودداری نمائید.

۷ محتویات بسته و سایر اطلاعات

هر کپسول ژلاتینی نرم حاوی ۱۰ میلی‌گرم عصاره روغنی گیاه شاهدانه (محتوی حداقل ۵۰٪ سی بی دی) می‌باشد.

فرآورده ساناویوا CBD در یک جعبه ۳۰ عددی حاوی ۲ بلیستر ۱۵ عددی، به همراه برگه راهنما عرضه می گردد.

صاحب پروانه: شرکت داروسازان سانافارمد ساخت ایران

SANA PHARMED